

GLOVE BOX ISOLATOR FEATURES AND OPTIONS CONFIGURATOR

CUSTOM SIZE OR CONFIGURATION, PLEASE SPECIFY:

MATERIAL OF CONSTRUCTION:

- ◇ 304 STAINLESS STEEL #4 FINISH
- ◇ 316L STAINLESS STEEL #4 FINISH
- ◇ SPECIAL FINISH SPECIFY _____

◇ POSITIVE PRESSURE ISOLATOR

◇ NEGATIVE PRESSURE ISOLATOR

◇ STATIC ISOLATOR

◇ POTENT COMPOUND ISOLATOR

◇ STERILITY TEST ISOLATOR

◇ ASEPTIC ISOLATOR

◇ INERT ENVIRONMENT ISOLATOR

UNIDIRECTIONAL FLOW (LAMINAR FLOW):

- ◇ SINGLE PASS
- ◇ RECIRCULATING

VIEW PANEL OPTIONS:

- ◇ LAMINATED SAFETY GLASS
- ◇ CLEAR TEMPERED GLASS
- ◇ CLEAR ACRYLIC
- ◇ CLEAR POLYCARBONATE (LEXAN)
- ◇ SPECIAL TINTING, PLEASE SPECIFY _____
- ◇ LIFT UP VIEW PANEL SASH WITH GAS CYLINDER ASSIST.

GLOVE PORT OPTIONS:

- ◇ 10" DIA
- ◇ 12" DIA. ROUND
- ◇ 8" DIA. ROUND
- ◇ 10" DIA. OVAL
- ◇ 12" DIA OVAL

GLOVES:

- ◇ NATURAL RUBBER
- ◇ NEOPRENE
- ◇ HYPALON (CSM)
- ◇ BUTYL
- ◇ LATEX
- ◇ VITON POLYURETHANE
- ◇ DETACHABLE HANDS
- ◇ SIZES _____

PASS THROUGH CHAMBER:

- ◇ SPECIAL SIZE _____
- ◇ ELECTRICAL INTERLOCK
- ◇ SLIDE OUT SHELF
- ◇ DOOR ORIENTATION _____
- ◇ PRESSURIZED
- ◇ N2 PURGE

ALPHA-BETA PORTS:

- ◇ 190 MM
- ◇ 270 MM
- ◇ 350 MM

ERGONOMIC HEIGHT ADJUSTMENT:

- ◇ MANUAL HAND CRANK
- ◇ AUTOMATIC ADJUSTMENT FOOT PEDAL OR PUSH BUTTON ACTIVATED

DRUM INTRODUCTION LIFT:

- ◇ MANUAL HAND CRANK
- ◇ AUTOMATIC ADJUSTMENT, FOOT PEDAL OR PUSH BUTTON ACTIVATED

FILTRATION:

- ◇ HEPA 99.99% eff @ .3 microns
- ◇ ULPA 99.9995% eff @ .12 microns
- ◇ ASHRAE eff. PLEASE SPECIFY
- ◇ CARBON FILTER PLEASE SPECIFY RATING
- ◇ HYDROPHOBIC HEPA FILTRATION
- ◇ PUSH-PUSH HEPA CARTRIDGE SYSTEM
- ◇ ePTFE HYDROPHOBIC

INTEGRAL BLOWER SYSTEM:

- ◇ SUPPLY
- ◇ EXHAUST
- ◇ EXPLOSION PROOF CLASS 1 DIV 1



Isolation Systems Inc.

CONFIGURATOR CONTINUED

INTEGRAL LIGHTING:

- ◇ HIGH INTENSITY BIAx
- ◇ FLUORESCENT
- ◇ INCANDESCENT
- ◇ ULTRA VIOLET
- ◇ VAPOR-TIGHT LED
- ◇ EXPLOSION PROOF CLASS 1 DIV 1 or DIV 2

ELECTRICAL SERVICES:

- ◇ 120-220V / 60HZ / 1PH
- ◇ 230-208V / 60HZ / 1PH
- ◇ 460-230V / 60HZ / 3PH
- ◇ 50 HZ OPERATION FOR 1 PH AVAILABLE

ELECTRICAL OUTLETS:

- ◇ STANDARD DUPLEX
- ◇ GFI DUPLEX
- ◇ EXPLOSION PROOF
- ◇ SEALED / STAINLESS STEEL COVER
- ◇ STRIP OUTLET
- ◇ SPECIAL VOLTAGE _____
- ◇ SPECIFY AMPERAGE _____

SPECIAL ACCESS DOORS PLEASE SPECIFY:

- ◇ _____

◇ **SPECIAL EQUIPMENT INSTALLATION**

◇ **DAMPERS**

◇ **CASTERS LOCKING**

◇ **COLLECTION BASINS** _____

◇ **SINKS** _____

◇ **SHELVING** _____

◇ **HOOKS** _____

SERVICE PENETRATIONS AND FITTINGS:

- ◇ TRI-CLAMP AND CAP _____
- ◇ BULK HEAD FITTINGS _____
- ◇ CABLE PENETRATIONS _____
- ◇ VALVES & PET COCKS _____
- ◇ COMPUTER CONNECTIONS _____
- ◇ QUICK CONNECTS _____
- ◇ DRAINS _____
- ◇ MANIFOLDS _____
- ◇ FAUCETS _____
- ◇ FIRE SUPPRESSION _____

◇ **VHP GENERATOR WITH CONTROLS**

CONTROLS:

- ◇ MAGNEHELIC GAGE
- ◇ MINIHELIC GAGE
- ◇ PHOTOHELIC GAGE
- ◇ DIGITAL PRESSURE DISPLAY
- ◇ AUDIBLE VISUAL LOW PRESSURE ALARM
- ◇ AUDIBLE VISUAL LOW FLOW ALARM
- ◇ GAS ANALYZER AND ALARM
- ◇ THERMOMETER
- ◇ HYGROMETER
- ◇ FLOW METERS

CLARIFICATION NOTES OR DRAWING



Isolation Systems Inc.

