


SUPPLEMENTAL AIR FUME EXHAUST HOODS



STANDARD FEATURES

- Unit construction- 16 ga 304 stainless steel w/#4 finish. Interior back panel 1/4" white polypropylene. Removable exterior side panels for easy service access.
- 1 1/2" square structural 304 Stainless Steel frame with a brushed #4 finish, sanitary adjustable height leg-levelers 0" to 1 1/2".
- Work surfaces available in both stainless steel perforated and solid stainless steel .
- Air flow management via adjustable baffle system
- Fluorescent lighting 80 FC @ work surface.
- Lighting on / off switch.
- Removable side panels for easy service installation.
- Counter balanced infinitely adjustable vertical sliding sash

OPTIONAL FEATURES

- 100% 16 ga. 316L SS construction with #4 finish.
- Bonderized polyurethane finish
- Integral air flow monitor and audible visual alarm system.
- Vibration-isolated work surface mounting.
- Custom spectrum lighting.
- Custom colors available.
- Full base cabinet (specify doors or drawers).
- Choice of hood liners
- Duplex outlets.
- Explosion proof configuration
- Vertical sliding sash with horizontal sliding access panels.
- Choice of service fixtures

NOTE: Isolation Systems, Inc. Supplemental Air Fume Exhaust Hoods will successfully moderate and control air flow and exhaust volumes to precise standards within any laboratory condition. These exhaust hoods are ideal for use within critically climate controlled labs. The Supplemental Air Hood reduces air loss within lab while controlling air flow patterns and volumes within the hood chamber.

SINGLE SASH

MODEL	W	D	H	FACE
SAS-36	36	36	98	6 sq ft
SAS-48	48	36	98	8 sq ft
SAS-60	60	36	98	10 sq ft
SAS-72	72	36	98	12 sq ft

LOW BENCH

MODEL	W	D	H	FACE
SAL-36	36	36	98	10 sq ft
SAL-48	48	36	98	14 sq ft
SAL-60	60	36	98	18 sq ft
SAL-72	72	36	98	22 sq ft

WALK IN

MODEL	W	D	H	FACE
SAW-36	36	36	98	14 sq ft
SAW-48	48	36	98	18 sq ft
SAW-60	60	36	98	24 sq ft
SAW-72	72	36	98	30 sq ft

All information herein is subject to change without notice' all shipping weights estimated.



all catalog dimensions are nominal.